

L Number	Hits	Search Text	DB	Time stamp
1	1		USPAT	2004/07/27 13:11
2	2	5604801.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 13:14
3	37	(hash\$4 near10 Password) and (encrypt\$3 near10 hash) and (re-encrypt\$4 or reencrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 13:55
4	78503	(first and second) same key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 13:56
5	561	((first and second) same key) and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 13:57
	197	(hash\$4 near10 Password) and (encrypt\$3 near10 hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 13:28
	24	((hash\$4 near10 Password) and (encrypt\$3 near10 hash)) and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 11:32
	21	(hash\$4 near10 Password) and (encrypt\$3 near10 "hashed password")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:49
	1		USPAT	2004/07/26 12:08
	1		USPAT	2004/07/26 12:08
	1		USPAT	2004/07/26 12:08
	1		USPAT	2004/07/26 12:11
	1		USPAT	2004/07/26 12:21
	378	encrypted near10 ("hash value" or "hashed password")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:49
	0	((encrypted near10 ("hash value" or "hashed password")) and ((first and second) near10 key)) and ((access near10 permit\$3) same (compar\$3 near10 (match or "same")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:52
	2	((encrypted near10 ("hash value" or "hashed password")) and ((first and second) near10 key)) and (access same (compar\$3 near10 (match or "same")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:53
	2	((encrypted near10 ("hash value" or "hashed password")) and ((first and second) near10 key)) and (access same (compar\$4 near10 (match or "same")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 12:53
	147	(encrypted near10 ("hash value" or "hashed password")) and ((first and second) near10 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 15:01
	1		USPAT	2004/07/26 12:55

-	1		USPAT	2004/07/26 12:56
-	1		USPAT	2004/07/26 12:56
-	1		USPAT	2004/07/26 13:05
-	1		USPAT	2004/07/26 13:06
-	1		USPAT	2004/07/26 13:13
-	1		USPAT	2004/07/26 13:13
-	0	(encrypted near10 ("hash value" or "hashed password")) and ((first and second) near10 key) and (character near5 generator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 15:33
-	2	4908861.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 15:33
-	563	hash\$4 near10 Password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 15:35
-	175	(hash\$4 near10 Password) and (generat\$3 near10 hash) and input	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 16:38
-	200	((first and second) same key) and "public key encryption algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 16:45
-	10	((first and second) same key) and "public key encryption algorithm") and reversible	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 16:42
-	2	((((first and second) same key) and "public key encryption algorithm") and reversible) and "encrypted key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/26 17:36
-	11839	Multiple near10 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10:35
-	14283	alphanumeric near character	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10:36
-	29	(alphanumeric near character) and (hash\$4 near10 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10:36
-	18	((alphanumeric near character) and (hash\$4 near10 password)) and (encrypt\$4 near5 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10:49
-	1		USPAT	2004/07/27 10:39
-	1		USPAT	2004/07/27 10:39
-	1		USPAT	2004/07/27 10:46
-	1		USPAT	2004/07/27 10:47

	2	5787169.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 13:14
--	---	-------------	---	------------------